

JEE-Main-27-01-2024 (Memory Based)
[EVENING SHIFT]

Chemistry

Question: Which of the following cannot act as an oxidising agent?

Options:

- (a) MnO_4^-
- (b) SO_4^{2-}
- (c) N_3^-
- (d) BrO_3^-

Answer: (c)

Solution: N_3^-

Question: The quantity which changes with temperature:

Options:

- (a) Mole fraction
- (b) Mass Percentage
- (c) Molarity
- (d) Molality

Answer: (c)

Solution: Molarity is dependent on temperature. As the temperature increases, water expands, so the solution's volume therefore increases

Question: Phenolic group can be identified by a positive


Options:

- (a) Lucas test
- (b) Carbylamine test
- (c) Phthalein test
- (d) Tollen's test

Answer: (c)

Solution:

Phthalein Dye Test



Question: Find the longest wavelength in Paschen series terms of R

Options:

- (a) $144/7R$
- (b) $123/2R$
- (c) $170/R$
- (d) $16/R$

Answer: (a)

Solution:

$$\frac{1}{\lambda} = R \left(\frac{1}{3^2} - \frac{1}{4^2} \right) = R \frac{7}{144}$$

Question: First order reaction 99.9 % completion and half life ratio?

Options:

- (a) 10
- (b) 5
- (c) 20
- (d) 4

Answer: (a)

Solution:

$$t = \frac{2.303}{k} \log \frac{a}{a-x}$$

$$(i) t_1 = \frac{2.303}{k} \log \frac{100}{100-99.9} \text{ (for 99.9% completion)}$$

$$= \frac{2.303}{k} \log \frac{100}{0.1}$$

$$= \frac{2.303}{k} \times 3$$

$$(ii) t_2 = \frac{2.303}{k} \log \frac{100}{100-50} \text{ (for 50% completion)}$$

$$= \frac{2.303}{k} \log 2$$

$$\frac{t_1}{t_2} = \frac{3}{0.3010} \approx 10$$

Question: S1: Ce^{4+} is stable because of noble gas configuration

S2: Ce^{4+} is good R. A. as it can go to +3 O.S.

Options:

- (a) Statement I is incorrect but statement II is correct
- (b) Both statement I and II are correct
- (c) Both statement I and II are incorrect
- (d) Statement I is correct but statement II is incorrect


Answer: (d)

Solution: Statement I is correct but statement II is incorrect

Question: Which of the following not undergo S_N1 ?

Options:

- (a) $C = C^{\oplus}$
- (b) $2^\circ C^{\oplus}$
- (c)



(d) $C = C - C^{\oplus}$

Answer: (a)

Question: C_2H_6 newman projection find incorrect information

Options:

- (a) Infinite conformers
- (b) Interconvertible
- (c) Dihedral angle in staggered 60°
- (d) Eclipsed is more stable.

Answer: (d)

Solution: Staggered form is more stable


Question: 1 mole of Pbs reacts with x mol of O_3 to give y moles of O_2 then $x + y$?

Options:

- (a) 8
- (b) 9
- (c) 4
- (d) 6

Answer: (a)

Solution:



$$x = 4 \quad y = 4$$

$$x + y = 8$$

Question: Which structure of protein is intact after coagulation of egg white on boiling?

Options:

- (a) Primary
- (b) Secondary
- (c) Tertiary
- (d) Quaternary

Answer: (a)

Solution: Denaturation of protein causes structural change in secondary & tertiary structure of protein but primary structure remain unchanged.

Question: The molecular formula of second homologue in the homologous series of monocarboxylic acid is

Options:

- (a) CH_3COOH
- (b) CH_3CH_2COOH
- (c) $CH_3CH(CH_3)COOH$
- (d) $CH_3CH_2CH_2COOH$

Answer: (a)

Solution: 1st homologue $HCOOH$

2nd homologue CH_3COOH

Question: The technique used for purification of steam volatile water immiscible substance is:

Options:

- (a) Fractional Distillation
- (b) Distillation under reduced pressure
- (c) Steam Distillation
- (d) Simple Distillation

Answer: (c)

Solution: Steam distillation method is used to separate substances which are steam volatile and are immiscible with water. However, the impurities should not be steam volatile in order to purify the substance by steam distillation.

Question: In which of the options all the elements have d^{10} configuration in their ground state

Options:

- (a) Cu, Zn, Cd, Ag
- (b) Cd, Au, Hg, Ni
- (c) Sc, Ti, Fe, Zn
- (d) Fe, Cr, Co, Ni

Answer: (a)

Solution:

Zn - $3d^{10} 4s^2$

Cu - $3d^{10} 4s^1$

Cd - $4d^{10} 5s^2$

Ag - $4d^{10} 5s^1$

Question: Number of non - polar molecules

H_2O , CH_4 , SO_2 , $CHCl_3$, PF_3 , NH_3 , SO_2 , HF

Answer: 2

Solution: Number of non - polar molecules = 2

CH_4 , CO_2

Question: How many of them have d^2sp^3 Hybridisation?

(a) $[Co(NH_3)_6]^{3+}$

(b) $[PtCl_6]^{2-}$

(c) SF_6

(d) BrF_2^-

Answer: 2

Solution:

(a) $[Co(NH_3)_6]^{3+}$


(b) $[PtCl_6]^{2-}$

$Co^{3+} - 3d^6$

In presence of NH_3 ligand pairing of electron takes place

$[Co(NH_3)_6]^{3+}$ have d^2sp^3 Hybridisation

$Pt^{4+} - 5d^6$



Question: How many have noble gas configuration?

- (a) Fe^{2+}
 (b) Cs^+
 (c) Sr^{2+}
 (d) Pb^{2+}

Answer: 2

Solution:

$\text{Cs}^+ - [\text{Xe}]$

$\text{Sr}^{2+} - [\text{Kr}]$

Both have noble gas configuration.

Question: In a standard Hydrogen Electrode, $\text{pH} = 3$

What is the EMF of the electrode in this case?





Solution:

$E_{\text{H}^+ / \text{H}_2} = -0.0591 \text{ pH} \quad \because -\log [\text{H}^+] = \text{pH}$

$$= -0.0591 \times 3$$



$$= -0.1773$$

Question: How many compound(s) given below have chiral carbon ?



Answer: 2

Solution:



Question: What volume of 3M NaOH solution can be formed using 84g of NaOH

Solution:

$$\text{Moles of NaOH} = \frac{84}{40} = \frac{21}{10} = 2.1$$

$$M \times V = 2.1$$

$$3 \times V = 2.1$$

$$V = 0.7 \text{ ltr} = 700 \text{ ml}$$